Отчет об исполнении основных этапов работ по реализации инвестиционной программы МУП "Воронежская горэлектросеть" за 9 месяцев 2016 года

№	Наименование объекта	Плановый объем финансирования: всего	ПИР	СМР	оборудование и материалы	прочие	Фактическое финансирование: всего	ПИР	СМР	оборудование и материалы	прочие	Отклонение: всего	ПИР	СМР	оборудование и материалы	прочие	Фактически освоено: всего	ПИР	СМР	оборудование и материалы	прочие
	Всего	312,79	7,24	105,45	100,09	0,00	198,09	[illegible]	[illegible]	[illegible]	0,00	[illegible]	[illegible]	[illegible]	[illegible]	0,00	152,22	[illegible]	[illegible]	91,11	0,00
1	[illegible]	[illegible]	[illegible]	[illegible]	47,09	0,00	[illegible]	[illegible]	[illegible]	[illegible]	0,00	[illegible]	[illegible]	[illegible]	-28,17	0,00	[illegible]	[illegible]	14,79	[illegible]	0,00
1.1	[illegible]	20,19	1,12	11,17	7,90	0,00	20,12	[illegible]	14,97	[illegible]	0,00	[illegible]	[illegible]	3,79	[illegible]	0,00	[illegible]	[illegible]	[illegible]	[illegible]	0,00
1.1.1	[illegible] СИП	[illegible]	[illegible]	[illegible]	[illegible]	0,00	[illegible]	[illegible]	[illegible]	[illegible]	0,00	[illegible]	[illegible]	[illegible]	[illegible]	0,00	7,97	[illegible]	[illegible]	[illegible]	0,00
1	ТП-51 с монтажом кабельных выводов	0,00	[illegible]	[illegible]	[illegible]	0,00	[illegible]	[illegible]	[illegible]	[illegible]	0,00	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0,00
2	ТП-1309 с монтажом кабельных выводов	2,14	[illegible]	[illegible]	[illegible]	0,00	1,80	[illegible]	[illegible]	[illegible]	0,00	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0,00
3	ТП-332 с монтажом кабельных выводов	0,34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0,00
4	ТП-271 с монтажом кабельных выводов	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
5	ТП-14А с монтажом кабельных выводов	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
6	ТП-5 (п. Шилово) с монтажом кабельных выводов	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
7	[illegible] с монтажом кабельных выводов	1,84	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
8	[illegible] с монтажом кабельных выводов	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
10	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
11	КТП-[illegible], ул. [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
12	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
13	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
14	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
15	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
16	КТП-[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
17	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
18	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
1.1.2	[illegible] СИП	1,48	[illegible]	[illegible]	[illegible]	0,00	[illegible]	[illegible]	[illegible]	[illegible]	0,00	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0,00
1	[illegible] с монтажом кабельных выводов	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
2	[illegible] с монтажом кабельных выводов	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
3	[illegible] с монтажом кабельных выводов	0,24	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-0,24	[illegible]	-0,14	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
4	[illegible] с монтажом кабельных выводов	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
5	КТП-[illegible] с монтажом кабельных выводов	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
6	[illegible] с монтажом кабельных выводов	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
7	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
8	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
1.1.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
1.1.4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
2	ТП-239 - ул. [illegible], 2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
3	ТП-787 - ул. [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
4	ТП-787 - ул. [illegible], 12	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
5	ТП-723 - ул. [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
6	[illegible] ул. 9 Января, 102	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
7	ТП-1196 - ул. [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
8	[illegible] ул. [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
9	[illegible] ул. Кулыгина(?), [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
10	ТП-[illegible] до опоры [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
11	[illegible] до опоры [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
12	[illegible] ул. [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
13	ТП-303-м/з №56, ул. [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
14	ТП-303-м/з №60, ул. [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
15	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
16	ТП-411-м/з №50, ул. Б. Роша	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
17	ТП-411-м/з №58, ул. Б. Роша	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
18	ТП-[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
19	[illegible] до опоры №1, ул. 9 Января	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20	ТП-[illegible] до опоры №2, ул. [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
21	[illegible] до опоры [illegible], ул. [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

№	Линии: год ввода	нормативный срок службы	тип опор	марка кабеля	протяженность, км
1.1.1 / 2	2016	15	ж/б	СИП-3х50+1х54,6 СИП 3х95+1х95	[illegible]
1.1.1 / 6	2016	15	ж/б	СИП-3х50+1х54,6 СИП 3х95+1х95	[illegible]
1.1.1 / 9	2016	[illegible]	ж/б	СИП-3х70+1х70	0,12
1.1.1 / 10	2016	15	ж/б	СИП-3х70+1х70	0,08
1.1.1 / 11	2016	15	ж/б	СИП-3х50+1х54,6	0,14
1.1.1 / 12	2016	15	ж/б	СИП-3х50+1х54,6	0,02
1.1.1 / 13	2016	15	ж/б	СИП-3х35+1х54,6 СИП 3х95	0,14
1.1.1 / 14	2016	[illegible]	ж/б	СИП-3х70+1х70	0,32
1.1.1 / 16	2016	15	ж/б	СИП-3х35+1х54,6	[illegible]
1.1.1 / 17	2016	15	ж/б	СИП-3х35+1х54,6	[illegible]
1.1.1 / 18	2016	15	ж/б	СИП-3х70+1х70	[illegible]
1.1.2	0	0	0,00	0,00	1,71
1.1.2 / 1	2016	15	ж/б	СИП-3х50+1х54,6 [illegible] АВБбШв-4х120 [illegible]	[illegible]
1.1.2 / 2	2016	15	ж/б	СИП-3х50+1х54,6	[illegible]
1.1.2 / 4	[illegible]	15	[illegible] ж/б	СИП-3х70+1х70 [illegible] АВБбШв-4х120 [illegible]	[illegible]
1.1.2 / 5	[illegible]	15	[illegible] ж/б	СИП-3х70+1х70 [illegible] АВБбШв-4х120 [illegible]	[illegible]
1.1.2 / 6	2016	15	ж/б	СИП-3х70+1х70	[illegible]
1.1.2 / 7	2016	15	[illegible]	СИП-3х50+1х54,6	[illegible]
1.1.2 / 8	2016	15	ж/б	СИП-3х50+1х54,6	[illegible]
1.1.3	0	0	0,00	0,00	0,00
1.1.4	0	0	0,00	0,00	[illegible]
1.1.4 / 1	2016	25		АВБбШв-4х[illegible]	[illegible]
1.1.4 / 3	2016	25		АВБбШв-4х95	[illegible]
1.1.4 / 4	2016	25		АВБбШв-4х95	[illegible]
1.1.4 / 5	2016	25		АВБбШв-4х120	[illegible]
1.1.4 / 6	2016	25		[illegible]	[illegible]
1.1.4 / 7	2016	25		[illegible]	[illegible]
1.1.4 / 10	2016	25		АВБбШв-4х120	[illegible]
1.1.4 / 11	2016	25		[illegible]	[illegible]
1.1.4 / 12	2016	25		АВБбШв-4х120	[illegible]
1.1.4 / 13	2016	25		[illegible]	[illegible]
1.1.4 / 14	2016	25		АВБбШв-4х70	[illegible]
1.1.4 / 15	2016	25		[illegible]	[illegible]
1.1.4 / 16	2016	25		АВБбШв-4х70	[illegible]
1.1.4 / 17	2016	25		[illegible]	[illegible]
1.1.4 / 18	2016	25		АВБбШв-4х120	[illegible]
1.1.4 / 19	2016	25		[illegible]	[illegible]
1.1.4 / 20	2016	25		[illegible]	[illegible]
1.1.4 / 21	2016	25		[illegible]	[illegible]



1.3.6	[illegible]	0,00	0,00	0,00	0,00	0,00	0,10	0,00	0,07	0,07	0,00	0,14	0,00	0,07	0,07	0,00	0,15	0,00	0,07	0,07	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	29,00
1	[illegible]	0,00	0,00	0,00	0,00	0,00	0,10	0,00	0,07	0,07	0,00	0,14	0,00	0,07	0,07	0,00	0,15	0,00	0,07	0,07	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	29,00
1.3.7	[illegible]	0,27	0,00	0,03	0,24	0,00	0,00	0,00	0,00	0,00	0,00	-0,27	0,00	-0,03	-0,24	0,00	0,00	0,00	0,00	0,00	0,00	0	0	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00
1	[illegible]	0,27	0,00	0,03	0,24	0,00	0,00	0,00	0,00	0,00	0,00	-0,27	0,00	-0,03	-0,24	0,00	0,00	0,00	0,00	0,00	0,00	0	0	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00
1.3.8	[illegible]	0,00	0,00	0,00	0,00	0,00	0,47	0,00	0,27	0,20	0,00	0,00	0,00	0,27	0,23	0,00	0,19	0,00	0,27	0,20	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00
1	[illegible]	0,00	0,00	0,00	0,00	0,00	0,47	0,00	0,27	0,20	0,00	0,00	0,00	0,27	0,23	0,00	0,19	0,00	0,27	0,20	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00
1.3.9	[illegible]	0,22	0,00	0,22	0,12	0,00	0,21	0,00	0,10	0,12	0,00	0,02	0,00	0,04	0,01	0,00	0,10	0,00	0,11	0,07	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	11,00
	[illegible]	0,02	0,00	0,00	0,01	0,00	0,01	0,00	0,02	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,02	0,00														0,00
	[illegible]	0,03	0,00	0,00	0,01	0,00	0,01	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	2 0 1 6	10												0,00
	[illegible]	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00														
	[illegible]	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	2 0 1 6	10												0,00

[illegible]	ТП-844 ат м/д 20 ул. Остужева	0,00	0,00	1,0[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0,00									2104	25		АВБбШв-4х70	0,07	
[illegible]	ТП-884 ат м/д 22 ул. Остужева	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0,00									2104	25		АВБбШв-4х70	0,13	
[illegible]	ТП-905	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0,00									2104	25		АПВБШвНГ-4х70	0,02	
[illegible]	ТП-204 ТП-347	0,00	0,00	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0,00														
[illegible]	ТП-40 ТП-741	0,00	0,00	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0,00														
3.2.6	[illegible]	0,00	0,00	0,00	0,00	0,00	3,71	0,00	3,71	0,00	0,00	3,71	0,00	3,71	0,00	0,00	3,71	0,00	3,71	0,00	0,00	0,00														
3.2.8	Строительство [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	113,76	[illegible]	[illegible]	[illegible]	0,00	[illegible]	[illegible]	[illegible]	[illegible]	0,00	110,60	[illegible]	[illegible]	[illegible]	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	11,03	0,00	0,00	0,00	0,00	[illegible]	
3.2.8.1	Строительство ТП для технологического присоединения	[illegible]	0,29	0,00	0,00	0,00	49,01	0,00	[illegible]	[illegible]	0,00	[illegible]	[illegible]	[illegible]	[illegible]	0,00	47,27	[illegible]	[illegible]	[illegible]	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	11,03	0,00	0,00	0,00	0,00	0,00	
	Строительство ТП для технологического присоединения	[illegible]	[illegible]	0,00	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	47,27	[illegible]	[illegible]	[illegible]	0,00						2104	20	[illegible] МВА	11,03						
3.2.8.2	Прокладка КЛ-6,10 кВ для технологического присоединения	[illegible]	1,28	[illegible]	[illegible]	0,00	[illegible]	[illegible]	[illegible]	11,75	0,00	[illegible]	[illegible]	[illegible]	[illegible]	0,00	[illegible]	[illegible]	[illegible]	11,75	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	15,00	0,00	0,00	12,29	
	Прокладка КЛ-6,10 кВ для технологического присоединения	[illegible]	1,28	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	11,75	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	11,75	0,00										2104	25		ААБл-3х120	12,29	
3.2.8.3	Прокладка КЛ-0,4 кВ для технологического присоединения	[illegible]	1,33	[illegible]	1,41	0,00	[illegible]	[illegible]	[illegible]	[illegible]	0,00	-1,13	[illegible]	-16,72	[illegible]	0,00	[illegible]	[illegible]	7,21	10,73	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	15,00	0,00	0,00	11,37	
	Прокладка КЛ-0,4 кВ для технологического присоединения	27,[illegible]	1,33	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-1,13	[illegible]	-16,72	[illegible]	[illegible]	[illegible]	[illegible]	7,21	10,73	0,00										0	25		[illegible]-4х70	11,37	
3.2.8.4	Прокладка ВЛ-0,4 кВ для технологического присоединения	3,83	[illegible]	[illegible]	[illegible]	0,00	11,19	[illegible]	[illegible]	4,92	0,00	7,36	[illegible]	[illegible]	6,17	0,00	10,49	[illegible]	[illegible]	4,92	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	15,00	[illegible]	0,00	11,35	
	Прокладка ВЛ-0,4 кВ для технологического присоединения	[illegible]	0,11	[illegible]	[illegible]	[illegible]	11,19	[illegible]	[illegible]	4,92	[illegible]	7,36	[illegible]	[illegible]	6,17	[illegible]	10,49	0,43	[illegible]	4,92	0,00										2104	15	[illegible]	[illegible]	11,35	
3.2.8.5	Прочее	0,00	0,00	0,00	0,00	0,00	[illegible]	[illegible]	0,00	0,00	0,00	[illegible]	[illegible]	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00
	Объект 1																																			
	в том числе ПИР																																			
	Справочно																																			
	Оценка прироста [illegible]																																			
1	Объект 1																																			
2	Объект 2																																			

[illegible]
[illegible]